



MIRACLE Counseling

Liebowitz Social Anxiety Scale (LSAS-SR)

Fill out the following questionnaire with the most suitable answer listed below. Base your answers on your experience in the past week and, if you have completed the scale previously, be as consistent as possible in your perception of the situation described. Be sure to answer all items.

Patient Name _____ DOB _____ Female _____
 Provider Name _____ Date _____ Male _____ Other _____

Fear or Anxiety

- ▶ 0 = None
- ▶ 1 = Mild
- ▶ 2 = Moderate
- ▶ 3 = Severe

Avoidance

- ▶ 0 = Never (0%)
- ▶ 1 = Occasionally (1%-33% of the time)
- ▶ 2 = Often (33%-67% of the time)
- ▶ 3 = Usually (67%-100% of the time)

Understanding the situations:

	FEAR OR ANXIETY	AVOIDANCE
1. Telephoning in public - speaking on the telephone in a public place		
2. Participating in small groups - having a discussion with a few others		
3. Eating in public places - do you tremble or feel awkward handling food		
4. Drinking with others in public places - refers to any beverage including alcohol		
5. Talking to people in authority - for example, a boss or teacher		
6. Acting, performing or giving a talk in front of an audience - refers to a large audience		
7. Going to a party - an average party to which you may be invited; assume you know some but not all people at the party		
8. Working while being observed - any type of work you might do including school work or housework		
9. Writing while being observed - for example, signing a check in a bank		
10. Calling someone you don't know very well		
11. Talking with people you don't know very well		
12. Meeting strangers - assume others are of average importance to you		
13. Urinating in a public bathroom - assume that others are sometimes present, as might normally be expected		
14. Entering a room when others are already seated - refers to a small group, and nobody has to move seats for you		
15. Being the center of attention - telling a story to a group of people		
16. Speaking up at a meeting - speaking from your seat in a small meeting or standing up in place in a large meeting		
17. Taking a written test		
18. Expressing appropriate disagreement or disapproval to people you don't know very well		
19. Looking at people you don't know very well in the eyes - refers to appropriate eye contact		
20. Giving a report to a group - refers to an oral report to a small group		
21. Trying to pick up someone - refers to a single person attempting to initiate a relationship with a stranger		
22. Returning goods to a store where returns are normally accepted		
23. Giving an average party		
24. Resisting a high pressure salesperson - avoidance refers to listening to the salesperson for too long		



Liebowitz Social Anxiety Scale (LSAS-SR)

A Screening Test for Social Anxiety Disorder

The Liebowitz Social Anxiety Scale (LSAS) is a clinician-rating scale created to assess social phobia. The LSAS assesses the range of social interaction and performance situations that patients with social phobia fear and/or avoid.¹ The scale includes 24 items divided into two subscales that evaluate social interactional and performance situations.

How to administer:

Ask the patient to rate fear and avoidance during the past week on 0-3 Likert scales
Clearly define the situation in each item, especially the first time the patient completes the scale
Emphasize the importance of consistency in rating each item the same way each time through the scale

Scores for the LSAS can be presented as:

- ▶ One global score totalling anxiety and avoidance for all 24 items
- ▶ Separate performance and social subscores; each subscore combines anxiety and avoidance totals over the relevant items
- ▶ Four separate subscores for performance anxiety, performance avoidance, social anxiety, and social avoidance

LSAS Score Interpretation

50-65	Moderate social phobia
65-80	Marked social phobia
80-95	Severe social phobia
Greater than 95	Very severe social phobia

Reference:

1. Liebowitz MR. Social phobia. *Mod Probl Pharmacopsychiatry* 1987;22:141-173.



MIRACLE Counseling

NOTES: